


LUXTRUST CONNECTION

Popup management



VERSION 2.0

LUXTRUST CONNECTION

Popup management

TABLE OF CONTENTS:

1. Introduction.....	3
2. Common steps for all browsers.....	3
3. Microsoft Edge.....	4
4. Mozilla Firefox	4
5. Google Chrome	5
6. Safari	5


1. Introduction

Before following this document, please check that you have installed the latest version of the Luxtrust middleware: www.luxtrust.com


This document is describing how to enable popups. This is required for the luxtrust connection to work.

2. Common steps for all browsers


- > Open your browser
- > Go to the www.lbr.lu website
- > Click on connect.



- > Select the Luxtrust method of authentication.



- > Choose your Luxtrust device type:




3. Microsoft Edge

- > A popup warning will appear on the bottom of your screen.




- > Chose "always allow"




4. Mozilla Firefox

- > On the top of your screen, below the address bar, a yellow warning shows that Firefox blocked a popup window. Click on Options.




- > Choose « Allow pop-ups for www.rcsl.lu ».




5. Google Chrome

- > On google chrome, nothing will seem to happen but there is a little icon in the address bar.




- > When you click on this icon, you can allow popups for this website:



6. Safari

- > In Safari, there are no warnings for pop-ups.
- > You have to enable them in the security menu. Go to Safari, Preferences, uncheck Block Pop-up windows.



> Restart your browser.